





EPOWSENS

## COMPANY PROFILE

Established in 2005, Epowsens begins to be one of the leading manufacturers of EAS solutions. We can offer wide range of EAS (Electronic Surveillance Article) products—RF/AM soft label, RF/AM hard tag, ink tag, RF/AM antenna detection system, RF/AM deactivator, RF hand verifier, lanyard, magnetic detacher, self-alarm device, display protection device, etc. With over 18 years experience in anti-shoplifting industry, quick response and professional services are the core of Epowsens's services across various aspects of retail supply chain. Our company keeps annual exports exceeding 5-7 million US dollars per year.

## DIRECTORY

RF Label .....	01	EAS Tester .....	14
AM Label .....	03	Deactivator .....	15
Hard Tag .....	04	Alarm Tag .....	16
Bottle Tag .....	07	Lanyard&Pin .....	17
Safer Box .....	09	EAS System .....	18
Detacher .....	11	EAS Display .....	30
Ink Tag .....	13		





**RF 4040**



Frequency: 8.2MHz/9.5MHz  
(Deactivatable/Non-Deactivatable)  
Dimension; 40mmx40mm  
Detection: 1.40m-1.60m  
Color: Barcode/White/Black/Clear/T  
hermal  
Packing: 20000pcs/ctn(1000pcs/rol  
l), 0.021cbm, 11kgs

More products

<p><b>RF2525</b> Dimension: 25mmx25mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.012CBM, 5.5kgs</p>	<p><b>RF2528</b> Dimension: 25mmx28mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.014CBM, 6kgs</p>	<p><b>RF3030</b> Dimension: 30mmx30mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.015CBM, 7kgs</p>	<p><b>RF3040</b> Dimension: 30mmx40mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.017CBM, 8.7kgs</p>	<p><b>RF3438</b> Dimension: 34mmx38mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 11kgs</p>
<p><b>RF3540</b> Dimension: 35mmx40mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 10kgs</p>	<p><b>RF3842</b> Dimension: 38mmx42mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.018CBM, 10.5kgs</p>	<p><b>RF4747</b> Dimension: 47mmx47mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.027CBM, 14.5kgs</p>	<p><b>RF5050</b> Dimension: 50mmx50mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.027CBM, 15kgs</p>	<p><b>RF33R</b> Dimension: φ33 mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.015CBM, 7kgs</p>
<p><b>RF40R</b> Dimension: φ40mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 9.5kgs</p>	<p><b>RF1552</b> Dimension: 15mmx52mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.011CBM, 5.5kgs</p>	<p><b>RF1965</b> Dimension: 19mmx65mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.014CBM, 8.5kgs</p>	<p><b>RF2445</b> Dimension: 24mmx45mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.014CBM, 7kgs</p>	<p><b>RF2347</b> Dimension: 23mmx47mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.018CBM, 8kgs</p>

<p><b>RF3050</b> Dimension: 30mmx50mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 11kgs</p>	<p><b>RF3060</b> Dimension: 30mmx60mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 12.5kgs</p>	<p><b>RF4060</b> Dimension: 40mmx60mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.027CBM, 15.5kgs</p>	<p><b>RF4070</b> Dimension: 40mmx70mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.027CBM, 17kgs</p>	<p><b>RF2350</b> Dimension: 23mmx50mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.022CBM, 8.6kgs</p>
<p><b>RF4056</b> Dimension: 40mmx56mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 12.7kgs</p>	<p><b>RF Print Label</b> Dimension: 40mmx40mm Color: Customized Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 11.3kgs</p>	<p><b>RF Frozen Label</b> Dimension: 40mmx40mm Color: Barcode/White/Black Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 11.3kgs</p>	<p><b>RF Print Frozen Label</b> Dimension: 40mmx40mm Color: Customized Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 11.3kgs</p>	<p><b>RF Valentine's Label</b> Dimension: 40mmx40mm Color: Red Packing: 20000pcs/ctn (1000pcs/roll), 0.021CBM, 9kgs</p>
<p><b>RF Jewellery 3030</b> Dimension: 31mmx105mm Color: Barcode/White/Black Packing: 10000pcs/ctn (1000pcs/roll), 0.021CBM, 7kgs</p>	<p><b>RF Glasses 4040</b> Dimension: 45mmx154mm Color: Barcode Packing: 5000pcs/ctn (500pcs/roll), 0.022CBM, 11.6kgs</p>	<p><b>RF Jewellery 40R</b> Dimension: 41mmx163mm Color: White Packing: 5000pcs/ctn (500pcs/roll), 0.022CBM, 8kgs</p>	<p><b>Woven Label</b> Outer Size: 48mmx55mm Inner Size: 40mmx40mm Packing: customized</p>	<p>MORE NEW...</p>



## AM 001



Frequency: 58KHz  
Dimension: 45mmx10.8mm  
Color:Barcode  
Packing: 20000pcs/ctn,0.03cbm,12kgs  
Application: Mainly used in supermarkets, cosmetic stores, pharmacies

## HT 001



Frequency: 8.2MHz  
Dimension: 48mmx42mm  
Color:Black/Gray/White or Customized  
Packing: 1000pcs/ctn,0.028cbm,9.5kgs  
Application: Mainly used in supermarkets, Outfit shop

### More products

AM002 Dimension: 50mmx10.8mm Color: Barcode Packing: 20000pcs/ctn, 0.042CBM, 15.5kgs	AM003 Dimension: 50mmx10.7mm Color: Barcode Packing: 10000pcs/ctn, 0.0293CBM, 10kgs	AM004 Dimension: 70mmx20mm Packing: Customized	AM005 Dimension: 54mmx10.8mm Color: Barcode Packing: Customized	AM006 Dimension: 45mmx6mm Color: Barcode Packing: 9000pcs/box, 36000pcs/ctn, 10.6kg/ctn, 0.024CBM
AM007 Dimension: 45mmx10.5mm Color: Customized Packing: 20000pcs/ctn, 0.03CBM, 12kgs	EM Label Dimension: 10mmx63mm Color: Barcode/White Packing: 50000/ctn, 0.26CBM, 13.5kgs			

**Product advantage**  
We will never live up to all the expectations of our customers, to provide customers with quality products, this is our obligation!

### More products

HT002 Frequency:8.2Mhz Dimension: 41mmx35mm Color: Black or Customized Packing:1,000pcs/ctn, 0.026cbm, 8kgs	HT003 Frequency:8.2Mhz Dimension: 53mmx44mm Color: Black or Customized Packing:1,000pcs/ctn, 0.032cbm, 11kgs	HT004 Frequency:8.2Mhz Dimension: 67mmx55mm Color: Black or Customized Packing:1,000pcs/ctn, 0.048cbm, 15kgs	HT005 Frequency:8.2Mhz Dimension: φ48mm Color: Gray or Customized Packing:1,000pcs/ctn, 0.035cbm, 11.5kgs	HT006 Frequency:8.2Mhz Dimension: φ45mm Color: White or Customized Packing:1,000pcs/ctn, 0.028cbm, 10kgs
HT007 Frequency:8.2Mhz Dimension: φ62mm Color: Gray or Customized Packing: 5000pcs/ctn, 0.04cbm, 9.5kgs	HT008 Frequency:8.2Mhz Dimension: φ42mm Color: White or Customized Packing:1,000pcs/ctn, 0.026cbm, 10kgs	HT009 Frequency:8.2Mhz Dimension: φ50mm Color: White or Customized Packing:1,000pcs/ctn, 0.032cbm, 10kgs	HT010 Frequency:8.2Mhz Dimension: φ52mm Color: White or Customized Packing:1,000pcs/ctn, 0.035cbm, 11kgs	HT011 Frequency:8.2Mhz/58Khz Dimension: φ62mm Color: Black or Customized Packing:5000pcs/ctn, 0.037cbm, 11kgs
HT012 Frequency:8.2Mhz/58Khz Dimension: φ53mm Color: Black or Customized Packing:1,000pcs/ctn, 0.048cbm, 17kgs	HT013 Frequency:8.2Mhz/58Khz Dimension: φ45mm Color: Black or Customized Packing:1,000pcs/ctn, 0.035cbm, 13kgs	HT014 Frequency:8.2Mhz Dimension: φ33mm Color: White or Customized Packing:1,000pcs/ctn, 0.022cbm, 17kgs	HT015 Frequency:8.2Mhz/58Khz Dimension: φ40mm Color: White or Customized Packing:1,000pcs/ctn, 0.035cbm, 14kgs	HT016 Frequency:8.2Mhz/58Khz Dimension: φ50mm Color: Gray or Customized Packing:1,000pcs/ctn, 0.048cbm, 17kgs





**HT017**  
Frequency:8.2Mhz/58Khz  
Dimension:  $\phi$ 50mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.048cbm, 17kgs



**HT018**  
Frequency:8.2Mhz/58Khz  
Dimension: 28mmx23mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.029cbm, 13kgs



**HT019**  
Frequency:8.2Mhz/58Khz  
Dimension: 31mmx32mm  
Color: White or Customized  
Packing:1,000pcs/ctn,  
0.022cbm, 9kgs



**HT020**  
Frequency:8.2Mhz/58Khz  
Dimension: 33mmx33mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.024cbm, 9.5kgs



**HT021**  
Frequency:8.2Mhz/58Khz  
Dimension: 28mmx23mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.018cbm, 9kgs



**HT042**  
Dimension: 50mmx19mm  
Color: White or Customized  
Packing:500pcs/ctn,  
0.023cbm, 8kgs



**HT043**  
Dimension: 50mmx29mm  
Color: Red or Customized  
Packing:1,000pcs/ctn,  
0.018cbm, 14kgs



**HT044**  
Dimension: 49mmx34mm  
Color: Yellow or Customized  
Packing:500pcs/ctn,  
0.018cbm, 10kgs



**HT045**  
Dimension: 45mmx43mm  
Color: Red or Customized  
Packing:500pcs/ctn,  
0.018cbm, 7.7kgs



**HT046**  
Frequency:8.2Mhz/58Khz  
Dimension: 61mmx25mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.028cbm, 11kgs



**HT022**  
Frequency:8.2Mhz/58Khz  
Dimension: 54mmx13mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.018cbm, 8.5kgs



**HT023**  
Frequency:8.2Mhz/58Khz  
Dimension: 46mmx13mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.015cbm, 8kgs



**HT024**  
Frequency:8.2Mhz/58Khz  
Dimension: 54mmx13mm  
Color: White or Customized  
Packing:1,000pcs/ctn,  
0.017cbm, 10kgs



**HT025**  
Frequency:8.2Mhz/58Khz  
Dimension: 53mmx18mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.017cbm, 9kgs



**HT026**  
Frequency:8.2Mhz/58Khz  
Dimension: 63mmx20mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.022cbm, 11kgs



**HT047**  
Frequency:8.2Mhz/58Khz  
Dimension: 43mmx39mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.033cbm, 10.8kgs



**HT048**  
Frequency:8.2Mhz/58Khz  
Dimension: 62mmx53mm  
Color: Black or Customized  
Packing:250pcs/ctn,  
0.024cbm, 8kgs



**HT049**  
Frequency:8.2Mhz/58Khz  
Dimension: 35mmx34mm  
Color: Gray or Customized  
Packing:500pcs/ctn,  
0.033cbm, 11kgs



**HT050**  
Frequency:8.2Mhz/58Khz  
Dimension: 56mmx34mm  
Color: Gray or Customized  
Packing:500pcs/ctn,  
0.028cbm, 12kgs



**HT051 (link)**  
Frequency:8.2Mhz/58Khz  
Dimension: 61mmx20mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.036cbm, 16kgs



**HT027**  
Frequency:8.2Mhz/58Khz  
Dimension: 59mmx18mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.017cbm, 9kgs



**HT028**  
Frequency:8.2Mhz/58Khz  
Dimension: 69mmx26mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.032cbm, 13kgs



**HT029**  
Frequency:8.2Mhz/58Khz  
Dimension: 51mmx25mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.026cbm, 11kgs



**HT030**  
Frequency:8.2Mhz/58Khz  
Dimension: 51mmx25mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.025cbm, 11kgs



**HT031**  
Frequency:58Khz  
Dimension: 54mmx30mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.033cbm, 15kgs



**HT052**  
Frequency:8.2Mhz/58Khz  
Dimension: 61mmx20mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.036cbm, 16kgs



**HT053**  
Frequency:8.2Mhz/58Khz  
Dimension: 56mmx18mm  
Color: Black or Customized  
Packing:1,000pcs/ctn,  
0.029cbm, 21kgs



**HT054**  
Frequency:58Khz  
Dimension: 57mmx15mm  
Color: White or Customized  
Packing:5,000pcs/ctn,  
0.033cbm, 13kgs



**HT055**  
Frequency:58Khz  
Dimension: 29mmx11mm  
Color: Black or Customized  
Packing:Customized



**HT056**  
Frequency:58Khz  
Dimension: 56mmx14mm  
Color: Gray or Customized  
Packing:Customized



**HT032**  
Frequency:58Khz  
Dimension: 55mmx31mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.026cbm, 7kgs



**HT033**  
Frequency:58Khz  
Dimension: 80mmx30mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.044cbm, 15kgs



**HT034**  
Frequency:58Khz  
Dimension: 89mmx30mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.05cbm, 15kgs



**HT035**  
Frequency:58Khz  
Dimension: 69mmx30mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.035cbm, 15kgs



**HT036**  
Frequency:8.2Mhz/58Khz  
Dimension: 50mmx65mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.029cbm, 17kgs



**HT057**  
Frequency:8.2Mhz/58Khz  
Dimension:  $\phi$ 42mm  
Color: White or Customized  
Packing:500pcs/ctn,  
0.031cbm, 9kgs



**HT058**  
Frequency:58Khz  
Dimension: 23mmx89mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.04cbm, 12kgs



**HT059**  
Frequency:8.2Mhz/58Khz  
Dimension: 62mmx28mm  
Color: White or Customized  
Packing:1,000pcs/ctn,  
0.031cbm, 13kgs



**HT060**  
Frequency:8.2Mhz/58Khz  
Dimension: 72mmx37mm  
Color: Black or Customized  
Packing:Customized



**HT061**  
Frequency:8.2Mhz/58Khz  
Dimension: 39mmx18mm  
Color: Gray or Customized  
Packing:2,000pcs/ctn,  
0.022cbm, 11kgs



**HT037**  
Frequency:8.2Mhz/58Khz  
Dimension: 59mmx18mm  
Color: Blue or Customized  
Packing:1,000pcs/ctn,  
0.023cbm, 7kgs



**HT038**  
Frequency:8.2Mhz/58Khz  
Dimension: 53mmx31mm  
Color: Gray or Customized  
Packing:1,000pcs/ctn,  
0.033cbm, 15kgs



**HT039**  
Frequency:8.2Mhz/58Khz  
Dimension: 55mmx54mm  
Color: White or Customized  
Packing:500pcs/ctn,  
0.03cbm, 9kgs



**HT040**  
Frequency:8.2Mhz/58Khz  
Dimension: 25mmx25mm  
Color: White or Customized  
Packing:1,000pcs/ctn,  
0.02cbm, 9kgs



**HT041**  
Dimension: 39mmx19mm  
Color: Red or Customized  
Packing:1,000pcs/ctn,  
0.018cbm, 7kgs



# BT 001



Frequency:8.2MHz  
Dimension : φ55 mm  
Color:White/Black/Clear or Customized  
Lock : Magnetic Lock  
Packing: 500pcs/ctn  
0.038cbm,13kgs

## More products



**BT002**  
Frequency:8.2Mhz  
Dimension: 48mmx42mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.038cbm, 12kgs



**BT003**  
Frequency:8.2Mhz/58Khz  
Dimension: 36mmx30mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.026cbm, 11kgs



**BT004**  
Frequency:8.2Mhz  
Dimension: φ55mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.038cbm, 13kgs



**BT005**  
Frequency:8.2Mhz  
Dimension: φ50mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.038cbm, 11kgs



**BT006**  
Frequency:8.2Mhz  
Dimension: φ55mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.051cbm, 15kgs



**BT007**  
Frequency:8.2Mhz/58Khz  
Dimension: 36mmx30mm  
Color: White or Customized  
Packing:500pcs/ctn,  
0.038cbm, 15kgs



**BT008**  
Frequency:8.2Mhz  
Dimension: φ55mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.051cbm, 15kgs



**BT009**  
Frequency:8.2Mhz  
Dimension: φ55mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.045cbm, 13kgs



**BT010**  
Frequency:8.2Mhz  
Dimension: 48mmx42mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.034cbm, 12kgs



**BT011**  
Frequency:8.2Mhz  
Dimension: φ55mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.045cbm, 13kgs



**BT012**  
Frequency:8.2Mhz/58Khz  
Dimension: φ50mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.045cbm, 13kgs



**BT013**  
Frequency:8.2Mhz/58Khz  
Dimension: 36mmx30mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.034cbm, 11kgs



**BT014**  
Frequency:8.2Mhz/58Khz  
Dimension: φ57mmx46mm  
Color: Black or Customized  
Packing:200pcs/ctn,  
0.031cbm, 7.5kgs



**BT015**  
Frequency:8.2Mhz/58Khz  
Dimension: φ40mmx87mm  
Color: Black or Customized  
Packing:200pcs/ctn,  
0.064cbm, 13.5kgs



**BT016**  
Frequency:8.2Mhz/58Khz  
Dimension: 68mmx41mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.028cbm, 11.5kgs



**BT017**  
Frequency:8.2Mhz/58Khz  
Dimension: φ140mmx44mm  
Color: Gray or Customized  
Packing:100pcs/ctn,  
0.068cbm, 17kgs



**BT018**  
Frequency:8.2Mhz/58Khz  
Dimension: φ140mmx44mm  
Color: White or Customized  
Packing:100pcs/ctn,  
0.07cbm, 16kgs



**BT019**  
Frequency:8.2Mhz/58Khz  
Dimension: φ166mmx40mm  
Color: Transparent  
Packing:100pcs/ctn,  
0.095cbm, 14kgs



**BT020**  
Frequency:8.2Mhz/58Khz  
Dimension: φ136mmx30mm  
Color: White or Customized  
Packing:500pcs/ctn,  
0.045cbm, 13kgs



**BT021**  
Frequency:8.2Mhz/58Khz  
Dimension: φ140mmx33mm  
Color: Gray or Customized  
Packing:100pcs/ctn,  
0.068cbm, 13.5kgs



**BT022**  
Frequency:8.2Mhz/58Khz  
Dimension: φ41mmx84mm  
Color: Black or Customized  
Packing:200pcs/ctn,  
0.0622cbm, 13.5kgs



**BT023**  
Frequency:8.2Mhz/58Khz  
Dimension: 66x50x43mm  
Color: Gray or Customized  
Packing:200pcs/ctn,  
0.044cbm, 16kgs



**BT024**  
Frequency:8.2Mhz/58Khz  
Dimension: 68x65x48mm  
Color: Black or Customized  
Packing:100pcs/ctn,  
0.033cbm, 7kgs



**BT025**  
Frequency:8.2Mhz/58Khz  
Dimension: 32x53x46mm  
Color: Black/Gray/White  
or Customized  
Packing:Customized



**BT026**  
Frequency:8.2Mhz/58Khz  
Dimension: φ55mm  
Color: Blackor Customized  
Packing:500pcs/ctn,  
0.035cbm, 17kgs



**BT027**  
Frequency:8.2Mhz/58Khz  
Dimension: φ50mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.035cbm, 13kgs



**BT028**  
Frequency:8.2Mhz/58Khz  
Dimension: 58x30x13mm  
Color: Gray or Customized  
Packing:500pcs/ctn,  
0.037cbm, 13.5kgs



**BT029**  
Frequency:8.2Mhz/58Khz  
Dimension: 30mmx36mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.026cbm, 11kgs



**BT030**  
Frequency:8.2Mhz/58Khz  
Dimension: 20mmx69mm  
Color: Gray or Customized  
Packing:500pcs/ctn,  
0.026cbm, 12kgs



**BT031**  
Frequency:8.2Mhz/58Khz  
Dimension: 55mmx39mm  
Color: Black or Customized  
Packing:500pcs/ctn,  
0.026cbm, 12kgs



# SF 001



Frequency:8.2MHz  
Outer Dimension:161.5\*114\*43.4mm  
Inner Dimension:79.6\*110\*18.5mm  
Packing: 100pcs/ctn,0.053cbm/ctn,  
8kgs  
Description:Made by PC transparent  
material

## More products



SF002  
Frequency: 8.2MHz  
Inner Dimension:  
79.1x110x32.2mm  
Packing:100pcs/ctn,  
0.073cbm, 10kgs



SF003  
Frequency: 8.2MHz  
Inner Dimension:  
53.4x119x51.7mm  
Packing:100pcs/ctn,  
0.083cbm, 12kgs



SF004  
Frequency: 8.2MHz  
Inner Dimension:  
120x110x28mm  
Packing:100pcs/ctn,  
0.072cbm, 12kgs



SF005  
Frequency: 8.2MHz  
Inner Dimension:  
150.5x118.5x43.2mm  
Packing:100pcs/ctn,  
0.144cbm, 16.5kgs



SF006  
Frequency: 8.2MHz  
Inner Dimension:  
162x119.7x27.1mm  
Packing:100pcs/ctn,  
0.125cbm, 17kgs



SF007  
Frequency: 8.2MHz  
Inner Dimension:  
192x141.5x18mm  
Packing:100pcs/ctn,  
0.098cbm, 11.5kgs



SF008  
Frequency: 8.2MHz  
Inner Dimension:  
205x149x16mm  
Packing:50pcs/ctn,  
0.098cbm, 24.5kgs



SF009  
Frequency: 8.2MHz  
Inner Dimension:  
120x110x28mm  
Packing:100pcs/ctn,  
0.125cbm, 14kgs



SF010  
Frequency: 8.2MHz  
Inner Dimension:  
193x147x17mm  
Packing:100pcs/ctn,  
0.082cbm, 21kgs



SF011  
Frequency: 8.2MHz  
Inner Dimension:  
200x150x50mm  
Packing:50pcs/ctn,  
0.115cbm, 16kgs



SF012  
Frequency: 8.2MHz  
Inner Dimension:  
117x85x55mm  
Packing:50pcs/ctn,  
0.115cbm, 16kgs



SF013  
Frequency: 8.2MHz  
Inner Dimension:  
117x85x32.5mm  
Packing:100pcs/ctn,  
0.115cbm, 16kgs



SF014  
Frequency: 8.2MHz  
Inner Dimension:  
182x115x40mm  
Packing:100pcs/ctn,  
0.069cbm, 12kgs



SF015  
Frequency: 8.2MHz  
Inner Dimension:  
240x140x50mm  
Packing:50pcs/ctn,  
0.123cbm, 17kgs



SF016  
Frequency: 8.2MHz  
Inner Dimension:  
203x98x23mm  
Packing:100pcs/ctn,  
0.115cbm, 16kgs



SF017  
Frequency: 8.2MHz  
Inner Dimension:  
150x120x45mm  
Packing:50pcs/ctn,  
0.089cbm, 11.5kgs



SF018  
Frequency: 8.2MHz  
Inner Dimension:  
170x136x60mm  
Packing:50pcs/ctn,  
0.134cbm, 13.5kgs



SF019  
Frequency: 8.2MHz  
Inner Dimension:  
220x116.5x65mm  
Packing:50pcs/ctn,  
0.123cbm, 19kgs



SF020  
Frequency: 8.2MHz  
Inner Dimension:  
250x100x100mm  
Packing:50pcs/ctn,  
0.192cbm, 19kgs



SF021  
Frequency: 8.2MHz  
Inner Dimension:  
220x175x50mm  
Packing:50pcs/ctn,  
0.093cbm, 19kgs



SF022  
Frequency: 8.2MHz  
Inner Dimension:  
245x60x50mm  
Packing:50pcs/ctn,  
0.093cbm, 19kgs



SF023  
Frequency: 8.2MHz  
Inner Dimension:  
155x120x50mm  
Packing:50pcs/ctn,  
0.08cbm, 14kgs



SF024  
Frequency: 8.2MHz  
Inner Dimension:  
104x83x49mm  
Packing:100pcs/ctn,  
0.08cbm, 17kgs



SF025  
Frequency: 8.2MHz  
Inner Dimension:  
165x100x75mm  
Packing:40pcs/ctn,  
0.08cbm, 10kgs



SF026  
Frequency: 8.2MHz  
Inner Dimension:  
122x55x50mm  
Packing:120pcs/ctn,  
0.08cbm, 16kgs



SF027  
Frequency: 8.2MHz  
Inner Dimension:  
294x108x56mm  
Packing:40pcs/ctn,  
0.11cbm, 12kgs



SF028  
Frequency: 8.2MHz  
Inner Dimension:  
72x78x115mm  
Packing:100pcs/ctn,  
0.067cbm, 12kgs



SF029  
Frequency: 8.2MHz  
Inner Dimension:  
φ70mmx86mm  
Packing:100pcs/ctn,  
0.081cbm, 10kgs



SF030  
Frequency: 8.2MHz  
Inner Dimension:  
φ70mmx120mm  
Packing:100pcs/ctn,  
0.091cbm, 11kgs



SF031  
Frequency: 8.2MHz  
Inner Dimension:  
φ107mm\*147mm  
Packing:36pcs/ctn,  
0.088cbm, 9kgs



SF032  
Frequency: 8.2MHz  
Inner Dimension:  
φ147mm\*195mm  
Packing:20pcs/ctn,  
0.099cbm, 8.5kgs





## DT 001



Dimension:  $\phi 75\text{mm} \times 25\text{mm}$   
 Magnetic Force: Standard  
 Packing: 100pcs/ctn, 0.023cbm, 24kgs  
 Application: clothes stores,  
 supermarket, retail stores, etc

### More products



DT002  
 Dimension:  $\phi 75\text{mm} \times 45\text{mm}$   
 Magnetic Force:  $\geq 8000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.023cbm, 23kgs



DT003  
 Dimension:  $\phi 70 \times 30\text{mm}$   
 Magnetic Force:  $\geq 8000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.021cbm, 20kgs



DT004  
 Dimension:  $\phi 70\text{mm} \times 48\text{mm}$   
 Magnetic Force:  $\geq 8000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.027cbm, 22kgs



DT005  
 Dimension:  $\phi 75\text{mm} \times 36\text{mm}$   
 Magnetic Force:  $\geq 8000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.027cbm, 23kgs



DT006  
 Dimension:  $\phi 70\text{mm} \times 28\text{mm}$   
 Magnetic Force:  $\geq 8000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.027cbm, 23kgs



DT007  
 Dimension:  $\phi 75\text{mm} \times 45\text{mm}$   
 Magnetic Force:  $\geq 8000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.027cbm, 23kgs



DT008  
 Dimension:  $\phi 75\text{mm} \times 35\text{mm}$   
 Magnetic Force:  $\geq 8000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.023cbm, 20kgs



DT009  
 Dimension:  $\phi 70\text{mm} \times 40\text{mm}$   
 Magnetic Force:  $> 7500\text{GS}$   
 Packing: 50pcs/ctn,  
 0.024cbm, 21kgs



DT010  
 Dimension:  $\phi 65\text{mm} \times 20\text{mm}$   
 Magnetic Force:  $> 5500\text{GS}$   
 Packing: 50pcs/ctn,  
 0.024cbm, 9kgs



DT011  
 Dimension:  $\phi 73\text{mm} \times 38\text{mm}$   
 Magnetic Force:  $\geq 8000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.024cbm, 22kgs




DT012  
 Dimension:  $\phi 87\text{mm} \times 38\text{mm}$   
 Magnetic Force:  $> 10000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.024cbm, 22kgs



DT013  
 Dimension:  $\phi 83\text{mm} \times 52\text{mm}$   
 Magnetic Force:  $15000\text{GS}$   
 Packing: Customized



DT014  
 Dimension:  $\phi 85\text{mm} \times 55\text{mm}$   
 Magnetic Force:  $16000\text{GS}$   
 Packing: Customized



DT015  
 Dimension:  $\phi 78\text{mm} \times 51\text{mm}$   
 Magnetic Force:  $14000\text{GS}$   
 Packing: Customized



DT016  
 Dimension:  $\phi 65\text{mm} \times 38\text{mm}$   
 Magnetic Force: Standard  
 Packing: 50pcs/ctn,  
 0.021cbm, 23kgs



DT017  
 Dimension:  $\phi 45\text{mm} \times 38\text{mm}$   
 Packing: Customized



DT018  
 Dimension:  $\phi 30\text{mm} \times 21\text{mm}$   
 Packing: Customized



DT019  
 Dimension:  $\phi 45\text{mm} \times 16\text{mm}$   
 Magnetic Force:  $4500\text{GS}$   
 Packing: 100pcs/ctn,  
 0.021cbm, 10kgs



DT020  
 Dimension:  $65 \times 35 \times 15\text{mm}$   
 Magnetic Force:  $\geq 4500\text{GS}$   
 Packing: 100pcs/ctn,  
 0.027cbm, 5kgs



DT021  
 Dimension:  $118 \times 24 \times 12\text{mm}$   
 Magnetic Force:  $4500\text{GS}$   
 Packing: 100pcs/ctn,  
 0.027cbm, 8kgs



DT022  
 Dimension: 9cm in length  
 Magnetic Force: Standard  
 Packing: 1,000pcs/ctn,  
 0.025cbm, 11.5kgs



DT023  
 Dimension:  $160 \times 100 \times 70\text{mm}$   
 Magnetic Force: Standard  
 Packing: 1pc/box,  
 0.0026cbm, 0.045kgs



DT024  
 Dimension:  $190 \times 80 \times 23\text{mm}$   
 Magnetic Force: Standard  
 Packing: 1pc/box,  
 0.0015cbm, 0.5kgs



DT025  
 Dimension:  $\phi 82\text{mm} \times 75\text{mm}$   
 Magnetic Force:  $12000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.0365cbm, 19kgs



DT026  
 Dimension:  $150\text{mm} \times 102\text{mm}$   
 Magnetic Force: Standard  
 Packing: 5 sets/ctn,  
 0.04cbm, 8.5kgs



DT027  
 Dimension:  $220 \times 180 \times 65\text{mm}$   
 Magnetic Force: Standard  
 Packing: 5sets/ctn,  
 0.04cbm, 8.5kgs



DT028  
 Dimension:  $\phi 50\text{mm} \times 72\text{mm}$   
 Magnetic Force:  $> 10000\text{GS}$   
 Packing: 50pcs/ctn,  
 0.024cbm, 15kgs



DT029  
 Dimension:  $\phi 40\text{mm} \times 45\text{mm}$   
 Magnetic Force: Standard  
 Packing: 50pcs/ctn,  
 0.021cbm, 22kgs



DT030  
 Dimension:  $\phi 18\text{mm} \times 53\text{mm}$   
 Magnetic Force:  $4500\text{GS}$   
 Packing: 100pcs/ctn,  
 0.0075cbm, 7kgs

## How to use detacher



1. Screw the detacher  
 to the table



2. Bump the raised  
 part of tag into the  
 depressed



3. Remove the pin  
 from the tag part of  
 the detacher



### IT 001



Dimension:φ25mm  
 Color: Red/Blue/Yellow/Green or Customized  
 Packing: 2000pcs/ctn,0.021cbm, 7kgs

### DE 001



Frequency: 8.2MHz/58KHz  
 Dimension: 200mm\*90mm\*30mm  
 Packing: 1pc/Box,0.00076cbm, 0.2kgs  
 Application: clothes stores, supermarket, retail stores,etc

#### More products

<p>IT002 Frequency:8.2Mhz Dimension: φ55mm Color: Black or Customized Packing:500pcs/ctn, 0.028cbm, 11kgs</p>	<p>IT003 Frequency:58Khz Dimension: φ50mm Color: White or Customized Packing:500pcs/ctn, 0.028cbm, 11kgs</p>	<p>IT004 Dimension: φ50mm Color: White/Black or Customized Packing:1,000pcs/ctn, 0.036cbm, 11kgs</p>	<p>IT005 Frequency:8.2Mhz Dimension: φ50mm Color: White or Customized Packing:1,000pcs/ctn, 0.052cbm, 15kgs</p>	<p>IT006 Frequency:8.2Mhz Dimension: φ50mm Color: White or Customized Packing:500pcs/ctn, 0.028cbm, 10kgs</p>
<p>IT007 Dimension: 40mmx25mm Color: Clear or Customized Packing:1,000pcs/ctn, 0.028cbm, 11kgs</p>	<p>IT008 Dimension: 40mmx25mm Color: White or Customized Packing:1,000pcs/ctn, 0.021cbm, 8kgs</p>	<p>IT009 Dimension: 40mmx25mm Color: White or Customized Packing:1,000pcs/ctn, 0.03cbm, 6kgs</p>	<p>IT010 Frequency:8.2Mhz Dimension: φ50mm Color: White or Customized Packing:500pcs/ctn, 0.039cbm, 8kgs</p>	<p>IT011 Frequency:58Khz Dimension: φ50mm Color: White or Customized Packing:500pcs/ctn, 0.038cbm, 8kgs</p>
<p>IT012 Frequency:8.2Mhz Dimension: φ40mm Color: White or Customized Packing:1,000pcs/ctn, 0.029cbm, 9.2kgs</p>	<p>IT013 Dimension: 43mmx32mm Color: Black/White/Red or Customized Packing:1,000pcs/ctn, 0.029cbm, 10.5kgs</p>	<p>IT014 Dimension: φ25mm Color: Black/White or Customized Packing:1,000pcs/ctn, 0.029cbm, 3.5kgs</p>	<p>IT015 Dimension: φ25mm Color: Black/White or Customized Packing:1,000pcs/ctn, 0.029cbm, 3.5kgs</p>	<p>IT016 Dimension: 47mmx41mm Color: Black/White or Customized Packing:1,000pcs/ctn, 0.029cbm, 10kgs</p>

#### More products

<p>DE002 Frequency:8.2MHz/58Khz Dimension:145x64x25mm Color: White Packing:1pc/box, 0.00038cbm, 0.1kgs</p>	<p>DE003 Frequency:8.2Mhz Dimension:135x70x22mm Color: Black Packing:1pc/box, 0.00045cbm, 0.1kgs</p>	<p>DE004 Frequency:8.2MHz/58Khz Dimension:190x103x62 mm Color: White Packing:1pc/box, 0.0014cbm, 0.15kgs</p>	<p>DE005 Frequency:8.2Mhz Dimension:180x93x41 mm Color: White Packing:Customized</p>	<p>DE006 Frequency:8.2MHz/58Khz Dimension:330x73x30mm Color: Black Packing:1pc/box, 0.0013cbm, 0.2kgs</p>
<p>DE007 Frequency:EM Dimension:410x85x43mm Color: Black Packing:1pc/box, 0.00076cbm, 0.2kgs</p>	<p>DE008 Frequency:8.2Mhz/58Khz Dimension:410x82x42mm Color: Black Packing:Customized</p>	<p>DE009 Frequency:8.2MHz/58Khz Dimension:345mmx75mm Color: Gray Packing:50pcs/ctn, 0.075cbm, 8kgs</p>	<p>DE010 Frequency:8.2Mhz/58Khz Dimension:340x80x55mm Color: Gray Packing:Customized</p>	<p>DE011 Frequency:8.2MHz/58Khz Dimension:277mmx55mm Color: Black Packing:Customized</p>

## BE 001




Center frequency: 8.2MHz  
Scanning Frequency: 7.0 ~ 9.0 MHz  
Decoding height: 200-400mm  
Pad size: 240mm×240mm×160mm  
Material: tempered glass  
Alarm: No Sound&Light  
Packing: 20pcs/ctn, 0.068CBM, 20kgs

## AS 001




Frequency: 8.2MHz/58KHz  
Spec: Dual Alarm/Trippl Alarm  
Dimension: Ø70mm  
Color: Black/White or Customized  
Lock: Magnetic Lock  
Packing: 100pcs/ctn, 0.036cbm, 9kg

### »» More products



BE002  
Center frequency: 8.2MHz  
Decode height: 150-200mm  
Dimension: 240x240x160mm  
Alarm: Sound&Light



BE003  
Center frequency: 8.2MHz  
Decode height: 150-200mm  
Dimension: 240x240x160mm  
Alarm: Sound&Light



BE004  
Center frequency: 8.2MHz  
Decode height: 250mm  
Dimension: 275x215x150mm  
Alarm: Sound&Light




BE005  
Center frequency: 8.2MHz  
Decode height: 150-200mm  
Dimension: 240x240x195mm  
Alarm: Sound&Light



BE006  
Center frequency: 8.2MHz  
Decode height: 150-200mm  
Dimension: 240x195x90mm  
Alarm: NO Sound&Light



BE007  
Center frequency: 8.2MHz  
Decode height: 150-200mm  
Dimension: 200x150x25mm  
Alarm: NO Sound&Light



BE008  
Center frequency: 8.2MHz  
Decode height: 150-200mm  
Dimension: 233x243x20mm  
Alarm: Sound&Light



BE009  
Center frequency: 58KHz  
Decode height: 150-200mm  
Dimension: 155x105x7mm  
Alarm: NO Sound&Light




BE010  
Center frequency: 58KHz  
Decode height: 150-200mm  
Dimension: 230x190x55mm  
Alarm: Sound&Light



BE011  
Center frequency: 58KHz  
Decode height: 150-200mm  
Dimension: 293x235x90mm  
Alarm: Sound&Light



BE012  
Center frequency: 58KHz  
Decode height: 90-120mm  
Dimension: 245x204x58mm  
Alarm: Sound&Light



BE013  
Center frequency: 58KHz  
Decode height: 50-100mm  
Dimension: 230x200x50mm  
Alarm: Sound&Light



BE014  
Center frequency: 58KHz  
Decode height: 30-100mm  
Dimension: 220x170x60mm  
Alarm: Sound&Light



BE015  
Center frequency: 100KC  
Decode height: 150-200mm  
Dimension: 270x225x110mm  
Alarm: Sound&Light



BE016  
Center frequency: 100KC  
Decode height: 150-200mm  
Dimension: 270x225x110mm  
Alarm: Sound&Light

### »» More products



AS002  
Dimension: φ50mm  
Color: Black or Customized  
Packing: 250pcs/ctn,  
0.04cbm, 13.8kgs



AS003  
Dimension: φ50mm  
Color: Black or Customized  
Packing: Customized



AS004  
Dimension: φ45mm  
Color: Black or Customized  
Packing: 250pcs/ctn,  
0.04cbm, 13.5kgs



AS005  
Dimension: φ70mm  
Color: Black or Customized  
Packing: Customized



AS006  
Dimension: φ50mm  
Color: Black or Customized  
Packing: 100pcs/ctn,  
0.031cbm, 8kgs



AS007  
Dimension: φ70mm  
Color: Black or Customized  
Packing: 100pcs/ctn,  
0.037cbm, 11.5kgs



AS008  
Dimension: φ50mm  
Color: Black or Customized  
Packing: 100pcs/ctn,  
0.033cbm, 8kgs



AS009  
Dimension: φ50mm  
Color: Black or Customized  
Packing: Customized



AS010  
Dimension: φ50mm  
Color: Black or Customized  
Packing: Customized



AS011  
Dimension: φ70mm  
Color: Black or Customized  
Packing: 50pcs/ctn,  
0.031cbm, 7.26kgs



AS012  
Dimension: φ70mm  
Color: Black or Customized  
Packing: 100pcs/ctn,  
0.037cbm, 11kgs



AS013  
Dimension: 34mmx85mm  
Color: Black or Customized  
Packing: 200pcs/ctn,  
0.071cbm, 23kgs



AS014  
Dimension: 30mmx80mm  
Color: Black or Customized  
Packing: Customized



AS015  
Dimension: 60mmx28mm  
Color: Black or Customized  
Packing: Customized



MORE NEW...



## PN 001



Length: 16mm or 19mm or  
Customized  
Head Diameter: 12mm  
Spec : Smooth or Grooved  
Packing: 10,000pcs/ctn, 0.012cbm  
(32x25x15cm), 16kgs

### More products



**PN002**  
Length: 16mm/19mm  
Head Diameter: 16mm  
Spec: Smooth or Grooved  
Packing:10,000pcs/ctn,  
0.02cbm, 20kgs



**PN003**  
Length: 16mm/19mm  
Head Diameter: 14mm  
Spec: Smooth or Grooved  
Packing:10,000pcs/ctn,  
0.032cbm, 20kgs



**PN004**  
Length: 16mm/19mm  
Head Diameter: 13mm  
Spec: Smooth or Grooved  
Packing:30,000pcs/ctn,  
0.011cbm, 15.6kgs



**PN005**  
Length: 16mm/19mm  
Head Diameter: 20mm  
Spec: Smooth or Grooved  
Packing:10,000pcs/ctn,  
0.04cbm, 11kgs



**PN006**  
Length: 16mm/19mm  
Head Diameter: 12mm  
Spec: Smooth or Grooved  
Packing:10,000pcs/ctn,  
0.012cbm, 21kgs



**PN007**  
Length: 16mm/19mm  
Head Diameter: 14mm  
Spec: Smooth or Grooved  
Packing:10,000pcs/ctn,  
0.02cbm, 20kgs



**PN008**  
Length: 16mm/19mm  
Head Diameter: 20mm  
Spec: Smooth or Grooved  
Packing:10,000pcs/ctn,  
0.032cbm, 9.5kgs



**PN009**  
Length: 16mm/19mm  
Head Diameter: 22mm  
Spec: Smooth or Grooved  
Packing:10,000pcs/ctn,  
0.04cbm, 10kgs



**PN010**  
Length: φ19mm  
Spec: Smooth or Grooved  
Packing:5,000pcs/ctn,  
0.028cbm, 18kgs



**PN011**  
Length: φ16mm  
Spec: Smooth or Grooved  
Packing:5,000pcs/ctn,  
0.029cbm, 18kgs



**PN012**  
Dimension: φ28mm  
Spec: Smooth or Grooved  
Packing:Customized



**LY001**  
Dimension: 170mm  
Color: Black or Customized  
Packing:10,000pcs/ctn,  
0.027cbm, 20kgs



**LY002**  
Dimension: 200mm  
Color: Black or Customized  
Packing:5,000pcs/ctn,  
0.016cbm, 12kgs



**LY003**  
Dimension: 170mm  
Color: Silver  
Packing:10,000pcs/ctn,  
0.019cbm, 16kgs



**LY004**  
Dimension: 120mm  
Color: Silver  
Packing:2,000pcs/ctn,  
0.016cbm, 6kgs

## ES 001



Rated Voltage:DC24V  
Rated Power:20W  
Frequency:8.2Mhz  
Scanning Frequency:7.9-8.5Mhz  
Detection width:  
RF Label≤100cm  
Small Square≤120cm  
Large Square≤170cm  
Max Protection Area:220cm  
Antenna material: Stainless steel  
Cover Plate Material: Metal  
Color: Black  
Size:156\*34\*10cm  
Packing: 2pcs/ctn, 0.092cbm, 17.5kgs

## ES 002



Rated Voltage:DC24V  
Rated Power:20W  
Frequency:8.2Mhz  
Scanning Frequency:7.9-8.5Mhz  
Detection width:  
RF Label≤100cm  
Small Square≤120cm  
Large Square≤170cm  
Max Protection Area:240cm  
Antenna Material: Alloy  
Cover Plate Material: Engineering ABS Material  
Color: Ivory  
Size:160\*39\*10cm  
Packing: 2pcs/ctn, 0.14cbm, 14kgs



### ES 003

Rated Voltage:DC24V  
 Rated Power:20W  
 Frequency:8.2Mhz  
 Scanning Frequency:7.9-8.5Mhz  
 Detection width:  
 RF Label≤100cm  
 Small Square≤120cm  
 Large Square≤170cm  
 Max Protection Area:240cm  
 Antenna Material:Acrylic  
 Color:Transparent  
 Color:Sliver  
 Size:156\*37\*10cm  
 Packing: 1pcs/ctn, 0.11cbm,26.5kgs



### ES 005

Rated Voltage:DC24V  
 Rated Power:30W  
 Frequency:8.2Mhz  
 Scanning Frequency:7.9-8.5Mhz  
 Detection width:  
 RF Label≤150cm  
 Small Square≤200cm  
 Large Square≤240cm  
 Max Protection Area:240cm  
 Antenna Material: Alloy  
 Color:Silver gray  
 Cover Plate Material: Metal  
 Color:Black  
 Size:165\*39\*8cm



### ES 004

Rated Voltage:DC24V  
 Rated Power:20W  
 Frequency:8.2Mhz  
 Scanning Frequency:7.9-8.5Mhz  
 Detection width:  
 RF Label≤100cm  
 Small Square≤120cm  
 Large Square≤170cm  
 Max Protection Area:240cm  
 Antenna Material: titanium alloy aluminum  
 Color:Black  
 Size:157\*44\*7cm  
 Packing: 2pcs/ctn, 0.14cbm,19kgs



### ES 007


Rated Voltage:DC24V  
 Rated Power:30W  
 Frequency:8.2Mhz  
 Scanning Frequency:7.9-8.5Mhz  
 Detection width:  
 RF Label≤150cm  
 Small Square≤200cm  
 Large Square≤240cm  
 Max Protection Area:240cm  
 Antenna Material: Alloy  
 Cover Plate Material:Engineering ABS Material  
 Color:Ivory  
 Size:151\*39\*6cm  
 Packing: 2pcs/ctn, 0.1cbm,8kgs





## ES 008

Rated Voltage:DC24V  
 Rated Power:30W  
 Frequency:8.2Mhz  
 Scanning Frequency:7.9-8.5Mhz  
 Detection width:  
 RF Label≤160cm  
 Small Square≤200cm  
 Large Square≤240cm  
 Max Protection Area:240cm  
 Antenna Material: Acrylic  
 Cover Plate Material:Metal  
 Color:Sheer  
 Size:151\*38\*11cm  
 Packing: 1pcs/ctn, 0.12cbm,12kgs



## ES 106

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 AM Label≤120cm  
 25-39Magnet≤150cm  
 39-50Magnet≤240cm  
 Antenna Material:Acrylic  
 Cover Plate Material:Metal  
 Color:Sliver  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:151\*42\*13cm  
 Packing: 1pcs/ctn, 0.134cbm,8kgs



## ES 105

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 AM Label≤120cm  
 25-39Magnet≤150cm  
 39-50Magnet≤240cm  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:150\*45\*11.5cm  
 Packing: 2pcs/ctn, 0.183cbm,20kgs



## ES 107

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 AM Label≤120cm  
 25-39Magnet≤150cm  
 39-50Magnet≤240cm  
 Antenna Material:ABS  
 Color:Sliver  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:157\*43\*14cm  
 Packing: 1pcs/ctn, 0.183cbm,11kgs



### ES 109

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 AM Label≤150cm  
 25-39Magnet≤180cm  
 39-50Magnet≤300cm  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:156\*42\*4cm  
 Packing: 1pcs/ctn, 0.153cbm,14kgs



### ES 130

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 AM Label≤150cm  
 25-39Magnet≤180cm  
 39-50Magnet≤240cm  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:162\*46\*3.2 cm  
 Packing: 2pcs/ctn, 0.179cbm,15kg



### ES 120

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 AM Label≤120cm  
 25-39Magnet≤150cm  
 39-50Magnet≤240cm  
 Antenna Material:ABS  
 Cover Plate Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:154\*40\*3.2 cm  
 Packing:2pcs/ctn, 0.157cbm,13.5kg



### ES 160

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 AM Label≤180cm  
 25-39Magnet≤200cm  
 39-50Magnet≤240cm  
 Antenna Material:Arylic  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:152\*40\*2 cm  
 Packing: 1pcs/ctn,0.134cbm,21kg





## ES 200

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 DR soft label: around 1.6m  
 Pencil tag: 1.8m  
 Antenna Material:Acrylic  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:154\*42\*4.4 cm  
 Packing: 2pcs/ctn, 0.149cbm, 12.4KG




## ES 260

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 DR soft label: 1.4~1.5m  
 Pencil tag: 1.6~1.7m  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:152\*40\*3.5 cm  
 Packing: 2pcs/ctn, 0.157cbm, 13.5kg



## ES 220

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 DR soft label: around 1.6m  
 Pencil tag: 2m  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:152\*40\*3.5 cm  
 Packing: 1pcs/ctn, 0.135cbm, 13kg



## ES 270

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 DR soft label: around 1.6m  
 Pencil tag: 1.8m  
 Antenna Material:Acrylic  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:146\*20\* 2 cm  
 Packing: 1pcs/ctn, 0.0708cbm,15kgs



### ES 280

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 DR soft label: around 1.6m  
 Pencil tag: 1.8m  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:156\*40\*3.2 cm  
 Packing: 1pc/ctn, 0.163cbm, 13.6kg



### ES 300

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 DR soft label: around 1.6m  
 Pencil tag: 1.8m  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:152\*40\*3.2 cm  
 Packing: 2pcs/ctn, 0.149cbm, 13.5kg



### ES 290

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 DR soft label: around 1.6m  
 Pencil tag: 1.8m  
 Antenna Material:Acrylic  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:146\*33\*2 cm  
 Packing: 1pcs/ctn, 0.105cbm, 19kg



### ES 400

Input Voltage:220VAC  
 Frequency:58Khz  
 Detection width:  
 DR soft label: around 1.6m  
 Pencil tag: 1.8m  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:161\*46\*3.2 cm  
 Packing: 2pcs/ctn, 0.179cbm,15kg





## ES 500

Input Voltage:220VAC  
 Frequency: 58KHz  
 Detection width:  
 RF Label≤120cm  
 Small Square≤160cm  
 Large Square≤200cm  
 Antenna Material:ABS  
 Color:White  
 Working Conditions:-20℃-45℃  
 Relative humidity:60%  
 Size:152\*40\*7 cm  
 Packing: 1pcs/ctn, 0.108cbm, 18.6kg



## Security Display Solution

### Cell phone security display holder



### Multi-port open display security system



### Cell phone display holder



## Security Display Solution

### Tablet PC display holder



### Alarm system connects cables



# OUR PRODUCTS

PROFESSIONAL DEDICATED  
HONEST INNOVATIVE



Welcome to visit our factory!